

Work Order ID 101133

May-01-13 11:31:41 AM

101133

Page 1

Item ID: D2739

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: 350 I Beam

Start Date: 5/01/13 Start Qty: 4.00

4

Cust Item ID:

Required Date: 5/10/13 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: *MLS*

Date: *13-05-01* Tooling:

Date:

Run Start *NR1*

QC:

Date: SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2739

Rev E

100

0.00

100

Skidtubes

Skidtubes

Memo

0.00

Skidtubes

1-Cut D2600-5 to length as per Dwg D2739.
2-Drill pilot holes in web using drilling Jig DT8162 as per Dwg D2739
3-Use uni-bit to open holes to finish size as per Dwg D2739.
4-Bevel Fwd end of extrusion and Deburr holes and ends.
5-Deburr

120

Chemical Conversion Coat per QSI005 4.1

0.00

120

HandFinish

Memo

0.00

Hand Finishing

- DL 13/05/02

13/05/02

Work Order ID 101133

May-01-13 11:31:41 AM

101133

Page 2

Item ID: D2739

Revision ID:

Item Name: 350 I Beam

Start Date: 5/01/13 Start Qty: 4.00

Required Date: 5/10/13 Req'd Qty: 4.00

Reference:

Accept

N900040100

Setup Start

NS1

Stop

NS2

Cust Item ID:

Customer:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC5- Inspect part completeness to step on W/O

0.00

130

QC

Memo

0.00

Quality Control

4 0 13/05/07 DAS 18 9-89

140

Identify as per dwg & Stock Location: LG

0.00

140

Packaging

Memo

0.00

Packaging

(4) 13/05/07

150

QC21- Final Inspection - Work Order Release

0.00

150

QC

Memo

0.00

Quality Control

13/5/8

13-05-7

Picklist Print

May-01-13 11:31:45 AM

Page 1

Work Order ID: 101133

101133

Parent Item: D2739

D2739

Parent Item Name: 350 I.Beam

Start Date: 5/01/13

Required Date: 5/10/13

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev: C02.11.28ReformatKJ

IPP Rev: D 06-03-21 As Per Rev C JLM

IPP Rev: E 07-07-28 As per Rev D JLM Verified By: IPP Rev:F

10.11.02 as per revE DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2600-5-108

Manufactured No

Each 105.0000

D2600-5-108

**

4

Extrusion 'I Beam' thin

4 13/05/13

Location

Loc Qty

Loc Code

LG


105

73909

2

90684

103



RELEASED
2010-11-01

REV.	DESCRIPTION	BY	DATE
E	ADD/MOVE HOLES FOR D4154 WEARPLATE; 38.28 WAS 38.35 (D5-1), 64.06 WAS 64.77 (D7-1), ADD HOLE (D3-1)	CP	10.10.08
D	ADD BEVEL TO FWD END; ADD DETAIL B	CB	07.05.29
C	ADD/MOVE HOLES FOR COMPATIBILITY WITH APICAL FLOATS	PH	06.01.05
B	CHANGE HOLES FOR COMPATIBILITY WITH AIRCRUISER FLOATS	CP	98.11.18
A	NEW ISSUE	DS	98.04.16
DESIGN	DS	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
DRAWN	JP		
CHECKED	JP		
MFG. APPR.	JP		
APPROVED	JP		
DE APPR.	JP	DRAWING NO. D2739 REV. E TITLE WEB SCALE NTS	
DATE	10.10.08	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

- NOTES:
- 1) MATERIAL: MAKE FROM D2600-5 EXTRUSION
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: DART P/N "D2739" AND B/N PER DART QSI 044 6.1
 - 7) WEIGHT: 3.41 lbs

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 101-133 MCL
13-05-01